



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/822,139	04/12/2004	Marcel Francois Heertjes	081468-0309161	1174

909 7590 07/01/2008
PILLSBURY WINTHROP SHAW PITTMAN, LLP
P.O. BOX 10500
MCLEAN, VA 22102

EXAMINER

WOOD, KIMBERLY T

ART UNIT	PAPER NUMBER
----------	--------------

3632

MAIL DATE	DELIVERY MODE
-----------	---------------

07/01/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/822,139	Applicant(s) HEERTJES ET AL.	
	Examiner Kimberly T. Wood	Art Unit 3632	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 March 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 and 21-25 is/are pending in the application.
- 4a) Of the above claim(s) 21-25 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>4/18/08, 3/14/08, 10/13/06</u> | 6) <input type="checkbox"/> Other: _____ |

This is an office action for serial number 10/822,139.

Election/Restrictions

Claims 21-25 withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on April 24, 2006.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-5 are rejected under 35 U.S.C. 102(b) as being anticipated by Tatsuya JP112433. Tatsuya discloses vibration isolation system comprising a plurality of active isolator devices mechanically coupled to the body (40); and a control system (11) configured to control the active isolator devices (7a to 7d), wherein the control system is configured to: decouple vibrations in modal directions; determine a modal

Art Unit: 3632

compensation signal for each modal direction; recouple each modal compensation signal into an active isolator control signal for each active isolator device; and stabilize at least one unstable natural mode of the body, wherein the at least one unstable natural mode stabilized by the control system is directed substantially vertically, wherein the body is positioned on a base frame by air mounts, wherein a passive isolator device and an active isolator device engage the body at the, wherein the system comprises a plurality of sensors (10Z1 to 10Z3, 10y1, 10y2, 10X, 5Z1 to 5Z3) to detect vibrations of the body.

Claims 1-5 are rejected under 35 U.S.C. 102(b) as being anticipated by Masato JP 10-275756. Tatsuya discloses vibration isolation system comprising a plurality of active isolator devices mechanically coupled to the body (40); and a control system configured to control the active isolator devices), wherein the control system is configured to: decouple vibrations in modal directions; determine a modal compensation signal for each modal direction; recouple each modal compensation signal into an active isolator control signal for each active isolator device; and stabilize at least one unstable natural mode of the body, wherein the at least one unstable natural mode stabilized by the control system is directed substantially vertically,

wherein the body is positioned on a base frame by air mounts,
wherein a passive isolator device and an active isolator device
engage the body at the, wherein the system comprises a plurality
of sensors (10Z1-10X) to detect vibrations of the body.

Response to Arguments

Applicant's arguments with respect to claims 1-5 have been
considered but are moot in view of the new ground(s) of
rejection.

Conclusion


Any inquiry concerning this communication or earlier
communications from the examiner should be directed to Kimberly
T. Wood whose telephone number is 571-272-6826. The examiner
can normally be reached on Monday-Thursday 7:30am to 5:00pm.

If attempts to reach the examiner by telephone are
unsuccessful, the examiner's supervisor, Brian Glessner can be
reached on 571-272-6843. The fax phone number for the
organization where this application or proceeding is assigned is
571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kimberly T. Wood/
Kimberly T. Wood
Primary Examiner
Art Unit 3632

June 8, 2008

Application Number 	Application/Control No.	Applicant(s)/Patent under Reexamination	
	10/822,139	HEERTJES ET AL.	
	Examiner	Art Unit	
	Kimberly T. Wood	3632	